

GENERAL INFORMATION
The total capacity of the Theatre is 1004 seats; including 8 wheelchair positions and 8 mobile chairs.
STAGE:
Proscenium Width: 14.80 m
Proscenium Height: 8.10 m
Total width of the stage:18.5 m
Stage Depth: 10 m plus pit depth
Grid Height: 18 m
Pit width: 13.60 m
Pit depth: 4.20 m
Pit height: 3 m (from stage level to the pit level)
There are 3 programmed positions for the pit: stage level / audience level and pit level
There are 3 main black curtains: 1 Main motorised located behind the proscenium. 1 Middle curtain. 1 Back curtain.
There is a scene dock door on right (as you face the building) which is connected to the stage area.
Dock door width: 3.95 m
Dock door height: 3.90 m
Control Room: One
Dressing rooms: There are 6 dressing rooms with a capacity of up to 60 persons. The green room is available if needed as an additional dressing room.
Green Room: One room 80m ²

AUDIO EQUIPMENT				
TYPE	Qty	DESCRIPTION	BRAND	MODEL
CONSOLES	1	F.O.H. Control Surface	Allen & Heath	dLive C2500
	1	Stage Control Surface	Allen & Heath	dLive C2500
	1	Digital stagebox	Allen & Heath	dLive CDM48 Mixrack
SOUND SYSTEM & FRONTFIELDS	1	2-way line Array System (5 pieces on each side)	Renkus - Heinz	VA101i
	2	Subwoofer (1 piece on each side)	Renkus - Heinz	CFX2185
	5	Frontfill Speakers	Renkus - Heinz	CX61
	2	Processors	Ashly	NE4800
	1	Amplifier system	Ashly	KLR Series System
STAGE MONITOR SPEAKERS	10	Stage Monitors 15"	P. Audio	CXP151C
	4	Stage Monitors 12"	P. Audio	CXP121C
	2	18" Subwoofer	P. Audio	CXP21Sub
SPEAKER STANDS	4	Speaker Stands		
MICROPHONES	4	Headset microphones for wireless systems	Shure	MX153
	4	Wireless Microphone System	Clockaudio	CW7001
	7	Dynamic Microphone (Handheld)	AKG	D5
	8	Dynamic Instrument Microphone	Shure	SM57
	2	Dynamic Microphone	AKG	D112
	4	Clip-on Microphone	Shure	BETA A98H/C
	8	Condenser Microphone	AKG	C1000S
	7	Condenser Microphone	Clockaudio	C600
BOOM STANDS	16	Microphone Boom Stands	K&M	
DI BOX	16	DI Box	ARX	PRODI

LIGHTING EQUIPMENT				
TYPE	Qty	DESCRIPTION	BRAND	MODEL
	20	Ethernet DMX Node	Swisson	SWISSPN XND-4B5
POWER	13	Stage lighting Dimmer / Relay pack	SRS	NDP1210-5 WM+K0 - DDP/NDP output + NDP-PULSE + RELAY
LUMINAIRES	10	Led Profile Fixed Angle 19° degree 3200K White	Chauvet	Ovation E-160WW Profile 19° degree lens
	10	Led Profile Fixed Angle 26° degree 3200K White	Chauvet	Ovation E-160WW Profile 26° degree lens
	8	Led Profile Fixed Angle 36° degree 3200K White	Chauvet	Ovation E-260WW Profile 36° degree lens
	8	Led Profile Fixed Angle 50° degree 3200K White	Chauvet	Ovation E-260WW Profile 50° degree lens
	8	Led Profile Zoom 25°-50° degree 3200K White	Chauvet	Ovation E-260WW Profile Zoom 25°-50° degree lens
	10	Led Profile Fixed Angle 19° degree RGBA-Lime	Chauvet	Ovation E-910FC Profile 19° degree lens
	10	Led Profile Fixed Angle 26° degree RGBA-Lime	Chauvet	Ovation E-910FC Profile 26° degree lens
	8	Led Profile Fixed Angle 36° degree RGBA-Lime	Chauvet	Ovation E-910FC Profile 36° degree
	8	Led Fresnel 3200 White	Chauvet	Ovation F-165WW 25° to 76°
	18	Cyclorama Led RGBA-Lime	Chauvet	Ovation B-565FC
	22	Led Par Zoom 14x15W RGBW	Chauvet	COLORado 2-Quad Zoom 14°-44° degree
	20	Moving Head Wash	Chauvet	Rogue R2 Wash 19 RGBW LED x 15 W 12° to 49° degree
	8	Moving Head Spot	Chauvet	Maverick MK2 Spot 440W 13° to 37° degree CMY
	2	Followspot	Chauvet	Ovation SP-300W
HAZERS	1	Hazer	FOS	FOS 1500W Hazer

COMMUNICATION & STAGE MANAGER DESK				
TYPE	Qty	DESCRIPTION	BRAND	MODEL
	10	Wired intercom beltpack with headset	Altair	EM-202 AM-100/2
	1	Wireless intercom beltpack with headset	Altair	WBP-202 WAM-100/2
CUE LIGHTS	1	Cue light base station	Leon Audio	QLM16i2 Mk4
	16	Cue light outstation	Leon Audio	QLS Mk4
CCTV MONITORING	1	Camera (placed in the auditorium)	Samsung	SCB-5003PH
	1	Camera (placed in the pit)	Samsung	SCO-5083RP
	2	CCTV Monitor - Stage Managers Desk	Neovo	SC-17P

TYPE	Qty	DESCRIPTION	BRAND	MODEL
PROJECTOR	1	LASER PROJECTOR	CHRISTIE	DWU19-HS
SNOW MACHINE	1			
WASHINE MACHINE	1			
DRYER MACHINE	1			
FRIDGE	1			
IRON	1			
IRON BOARD	1			